



# POWER SUPPLY

- AC POWER SUPPLY
- DC POWER SUPPLY
- AC & DC POWER SUPPLY
- SWITCHING POWER SUPPLY
- PROGRAMMABLE DC POWER SUPPLY

# Content


1 - F8 series power supply ..... Page 3 ***F8-A1202 F8-5801 F8-1501 F8-1201***

2 - Student new power supply ..... Page 4 SPN15-05C SPN15-1C SPN15-05

..... Page 5 SPN110-01C SPN300-03C SPN6000A

3 - Current generator ..... Page 6 CC115 CC225

4 - AC & DC power supply ..... Page 7 M10-AD350T M10-AD350M

..... Page 8 M10-AD360 M10-AD370

..... Page 9 M10-AD22 series

5 - Trainee DC power supply ..... Page 10 S303E T303E

6 - Mini single output adjustable dc powe supply ..... Page 11 ***M10-NY & M10-MX SERIES***

7 - Single output adjustable DC power supply ..... Page 12 M10-QS series

8 - Dual output adjustable DC power supply ..... Page 13 M10-QD series

9 - Triple output adjustable DC power supply ..... Page 14 M10-QR series

10 - Quad output adjustable DC power supply ..... Page 15 M10-QP series

11 - M30 Series DC power supply ..... Page 16 M30 series

12 - 19 inch adjustable DC power supply ..... Page 17 M10-TPR series

13 - Programmable DC power supply ..... Page 18 M10-OPP series

..... Page 19 M10-MPD series

14 - Switching power supply ..... Page 20 M10-LSS series M10-MSS series

15 - AC power supply ..... Page 21 ***M10-522 series M10-511 series***

..... Page 22 M10-530 series M10-540 series ***M10-AC30-03***

..... Page 23 ***M10-AC250-1 M10-AC250-2***

16 - Benchtop electrical power supply ..... Page 24 ***TB556***

17 - Benchtop power supply ..... Page 25 ***TB412 M10-AD412-20***

## M10-QS SERIES CE NEW

***Features***

**. 16 hours continuously output with full load**
**. Over voltage protection**
. Constant voltage and constant current
. Low ripple and noise
. CV/CC auto switching
. 3 digits LED display (4 digits LED display is optional)

***Specifications***

.Line regulation: CV $1\times10^{-4}$+3mV CC $2\times10^{-3}$+3mA

.Load regulation: CV $1\times10^{-4}$+4mV CC $2\times10^{-3}$+5mA

.Ripple & noise: CV 1mV rms CC 3mA rms

.Display accuracy: ±0.4%Rdg+1digits

.Input voltage: 110~127VAC ± 10%,220~240 ± 10% Switchable


| Model | Voltage | Current | Over voltage protection | Dimensions (W×H×D) | Weight (kg) |
|---|---|---|---|---|---|
| M10-QS302 | 0~30V | 0~2A | | 130×165×320 mm | 5 |
| M10-QS303 | 0~30V | 0~3A | | 130×165×320 mm | 5 |
| M10-QS305 | 0~30V | 0~5A | | 130×165×320 mm | 6 |
| M10-QS3010 | 0~30V | 0~10A | | 250×135×300 mm | 9 |
| M10-QS3020 | 0~30V | 0~20A | | 250×135×300 mm | 9 |
| M10-QS603 | 0~60V | 0~3A | | 130×165×320 mm | 5 |
| M10-QS605 | 0~60V | 0~5A | | 250×135×300 mm | 11.5 |
| M10-QS6010 | 0~60V | 0~10A | | 250×135×300 mm | 15 |
| M10-QS1001 | 0~100V | 0~1A | | 130×165×320 mm | 5.5 |
| M10-QS1003 | 0~100V | 0~3A | | 130×165×320 mm | 11.5 |
| M10-QS1005 | 0~100V | 0~5A | | 250×135×300 mm | 14 |
| M10-QS2001 | 0~200V | 0~1A | | 250×135×300 mm | 7 |
| M10-QS2003 | 0~200V | 0~3A | | 250×135×300 mm | 15 |
| M10-QS3030 | 0~30V | 0~30A | ✓ | 250×135×460 mm | 18 |
| M10-QS6020 | 0~60V | 0~20A | ✓ | 250×135×460 mm | 20 |
| M10-QS2005 | 0~200V | 0~5A | ✓ | 250×135×460 mm | 18 |



*M10-QS305*



*M10-QS3010*


MCP®
lab electronics